







MATERIAL SPECIFICATIONS BINDEX™ WOOD / EXCEL® FIBERMULCH II

Materials:

Great Lakes Aspen (naturally seed-free) Green Dye

Description:

Bindex Wood / Excel Fibermulch II hydraulic mulch is a natural, wood fiber mulch that provides an organic cover to protect seeds, enhance germination, and hasten revegetation when mixed with water and applied with hydraulic mulching equipment. Bindex Wood / Excel Fibermulch II is furnished with green dye (optional) and is available palletized in bags for applicator convenience. Bindex Wood / Excel Fibermulch II shall be manufactured in the U.S.A.

Physical Properties:

Fiber: Great Lakes Aspen (naturally seed-free)

Fiber Length: 25% or more of fibers ≥ 0.40 in (10.2 mm) long

50% of fibers retained on #24 sieve

Bag Gross Weight: $\approx 50.0 \text{ lb } (22.7 \text{ kg})$ Green Dye: $\approx 2.0 \text{ oz } (0.057 \text{ kg})$

Bag Volume: 6.25 ft³ (177 L) Before Compression

2.8 ft³ (79 L) After Compression

All measurements are based on product at time of manufacture.











MANUFACTURER'S CERTIFICATION BINDEX[™] WOOD / EXCEL® FIBERMULCH II Hydraulic Mulch

Manufacturer:

American Excelsior Company 831 Pioneer Avenue Rice Lake, WI 54868 1-866-9FIBERS (1-866-934-2377)

| Project Information (if applicable): | |
|--------------------------------------|--|
| Name: | |
| Location: | |
| Number: | |

Statement

We hereby certify that the above referenced material is manufactured to meet or exceed the following specification:

Composition: Great Lakes Aspen (naturally seed-free), Green Dye Fiber Length: 25% or more of fibers ≥ 0.40 in (10.2 mm) long

50% of fibers retained on #24 sieve

Bag Gross Weight: $\approx 50.0 \text{ lb } (22.7 \text{ kg})$ Green Dye: $\approx 2.0 \text{ oz } (0.057 \text{ kg})$

Bag Volume: 6.25 ft³ (177 L) Before Compression 2.8 ft³ (79 L) After Compression

All measurements are based on product at time of manufacture.

Tony Richter – General Manager, Rice Lake

Effective Date

Note: This Certification expires, without notice, if document is updated by American Excelsior Company (AEC). Current Material Specifications and Manufacture's Certifications (MSMC) for AEC products shall be accessed from www.Curlex.com at all times.

