







MATERIAL SPECIFICATIONS CURLEX® GREEN SAVERSTM

Materials:

Great Lakes Aspen (naturally seed free) Polypropylene Netting Stitching Thread

Typical Roll Sizes:

Width:	4.0 ft (1.2 m)	8.0 ft (2.4 m)
Length:	50.0 ft (15.2 m)	50.0 ft (15.2 m)
Area:	$22.2 \text{ yd}^2 (18.6 \text{ m}^2)$	44.4 yd ² (37.1 m ²)
Weight:	36.0 lb (16.3 kg)	72.0 lb (32.7 kg)

Description:

Curlex Green Savers are natural excelsior blankets that provide winter protection against drying winds, frost penetration, grass desiccation, and freezing cold on all golf course greens. Curlex Green Savers maintain a more constant surface temperature and allow excellent air circulation. Curlex Green Savers minimize heat build up and the freeze thaw cycle, which helps to establish quality greens early in the season, thus extending the playing season by two to three weeks. Curlex Green Savers are furnished in rolls with polyethylene wrapping to protect against the elements prior to installation, and may be ordered in Master-Paks of fifteen rolls each to minimize material handling requirements. Curlex Green Savers shall be manufactured in the U.S.A.

Physical Properties:

Fiber: Great Lakes Aspen (naturally seed free)

Curled, interlocking fibers with barbed edges

Fiber Size: 80% of fibers a minimum of 6 in (15.2 cm) long

> $0.038 \text{ in } \pm 0.008 \text{ in wide x } 0.018 \text{ in } \pm 0.003 \text{ in thick}$ $(0.97 \text{ mm} \pm 0.20 \text{ mm} \text{ wide x } 0.46 \text{ mm} \pm 0.08 \text{ mm thick})$

 $1.62 \text{ lb/yd}^2 (0.88 \text{ kg/m}^2) \pm 10\%$ @ 22% Moisture

Weight^a:

Thread Pattern: No more than 4.0 in (10.2 cm) transverse stitch spacing

Net Material: Polypropylene heavy duty black

Net Openings: 0.75 in wide x 0.75 in long (19.1 mm x 19.1 mm)

Net Configuration: Top and bottom

^a Weight is based on a dry fiber weight basis at time of manufacture. Baseline moisture content of Great Lakes Aspen excelsior is 22%.











MANUFACTURER'S CERTIFICATION CURLEX® GREEN SAVERS™ - Winter Protection Blanket

Manufacturer:

American Excelsior Company 831 Pioneer Avenue Rice Lake, WI 54868 1-866-9FIBERS (1-866-934-2377)

Project Information (if applicable):

Name:

Location:

Number:

Statement

We hereby certify that the above referenced material is manufactured to meet or exceed the following specification:

Fiber: Great Lakes Aspen (naturally seed free)

Curled, interlocking fibers with barbed edges

Fiber Size: 80% of fibers a minimum of 6 in (15.2 cm) long

 $0.038 \text{ in} \pm 0.008 \text{ in wide } x \ 0.018 \text{ in} \pm 0.003 \text{ in thick}$

 $(0.97 \text{ mm} \pm 0.20 \text{ mm} \text{ wide x } 0.46 \text{ mm} \pm 0.08 \text{ mm thick})$

Blanket Length: -0 ft (m) + 2.0 ft (0.6 m)

Blanket Width: -0 in (mm) + 1.0 in (25.4 mm)

Weight^a: $1.62 \text{ lb/yd}^2 (0.88 \text{ kg/m}^2) \pm 10\% \text{ @ } 22\% \text{ Moisture}$

Thread Pattern: No more than 4.0 in (10.2 cm) transverse stitch spacing Net Material: Polypropylene heavy duty black

Net Openings: 0.75 in wide x 0.75 in long (19.1 mm x 19.1 mm)

Net Configuration: Top and bottom

Tony Johnson – General Manager, Rice Lake

Effective Date

Note: This Certification expires, without notice, if document is updated by American Excelsior Company (AEC). Current Material Specifications and Manufacture's Certifications (MSMC) for AEC products shall be accessed from www.Curlex.com at all times.



^a Weight is based on a dry fiber weight basis at time of manufacture. Baseline moisture content of Great Lakes Aspen excelsior is 22%.