



CURLEX® SiltTRAP™ EXCELSIOR BUFFER STRIP INSTALLATION GUIDELINES

Before installing Curlex SiltTRAP, the finished grade shall be inspected by the Owner's Representative to ensure it has been properly compacted and fine graded to remove any existing rills. It shall be free of obstructions, such as tree roots, projections such as stones, and other foreign objects. The contractor shall proceed when all satisfactory conditions are present. Remove the Curlex SiltTRAP protective cover. Next, locate the start of the roll, making sure the roll is facing toward the area to be covered, and then roll out the product. The product shall be rolled out flat, even, and smooth without stretching the material then anchored to the subgrade.

If Curlex SiltTRAP is being used as a temporary buffer, seeding may not be necessary; however, due to its unique ability to expedite germination, it is recommended the area be final graded, seeded, fertilized, and compacted before Curlex SiltTRAP is installed. This will allow for early germination and possible elimination of future sod costs.

Curlex SiltTRAP shall be located at the perimeter of the site along undisturbed vegetation, paved surfaces, and/or the backside of curbs. Where large contributory areas or steep slopes are encountered, multiple strips may be required. Curlex SiltTRAP shall not be installed for sediment capture purposes where concentrated flow conditions (channelized flow) from above are anticipated.

Disclaimer: Curlex SiltTRAP is a system for erosion control and revegetation on perimeter areas of residential, commercial, and industrial construction sites. American Excelsior Company (AEC) believes that the information contained herein to be reliable and accurate for use in erosion control and revegetation applications. However, since physical conditions vary from job site to job site and even within a given job site, AEC makes no performance guarantees and assumes no obligation or liability for the reliability or accuracy of information contained herein, for the results, safety, or suitability of using Curlex SiltTRAP, or for damages occurring in connection with the installation of any erosion control product whether or not made by AEC or its affiliates, except as separately and specifically made in writing by AEC. These guidelines are subject to change without notice.