Curlex[®] Hi-Vis Excelsior Logs[™]

Durable, high visibility solution with Curlex fibers



Benefits & Applications

- Helps control site access
- Slow vehicle into site
- Hi-Vis shell quickly identifies perimeter
- HD polyethylene shell for long-life
- 4 Integrated handles for easy moving
- Proven performance of Curlex fibers
- EPA approved sorbent
- Delineate sensitive areas
- Additional sediment control BMP

Curlex Hi-Vis Excelsior Logs are easy to move with their durable handles. But, the best part of them is what you don't see. These are the only high visibility logs filled with the naturally seed free Great Lakes Aspen Curlex fibers that you know and trust.

Curlex fibers provide the highest level of sediment control. Pre approved by the US EPA as an oil sorbent, Curlex fibers also removed hydrocarbons, nutrients, metals, etc.



Containment Sleeve Specifications		
Index Property	Test Method	Typical Value
Tensile Strength (MD x TD)	ASTM D4632	267 lb-f x 168 lb-f 1187.7 N x 747.3 N
Elongation at Max Load (MD x TD)	ASTM D4632	66% x 109%
Permittivity	ASTM D4491C	180 GPM/ft² (7334 L/min/m²)
UV Stability	ASTM D4355	100%

Curlex Hi-Vis Excelsior Logs Available Sizes		
Product Name	Curlex Hi-Vis 9" x 17'	
Nominal Diameter	9 in (22.86 cm)	
Starting Sleeve Length	18 ft (5.49 m)	
Finished Log Length	≥17 ft (5.18 m)	









850 Avenue H E Arlington, TX 76011

Phone: 800-777-SOIL www.Curlex.com

THE MOST TRUSTED NAME IN EROSION CONTROL Form #209/ W0420R0821